



DIV3.ST25.txt
LISTING

<110> HO, CHIEN

TSAI, CHING-HSUAN

FANG, TSUEI-YUN

SHEN, TONG-JIAN

<120> LOW OXYGEN AFFINITY MUTANT HEMOGLOBIN

<130> 002547/20118DIV3

<140> 09/986,666

<141> 2001-11-09

<150> 09/598,218

<151> 2000-06-21

<160> 7

<170> PatentIn version 3.1

<210> 1

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> DESCRIPTION OF ARTIFICIAL SEQUENCE: Primer to introduce betaN108
Q mutation into plasmid pHE2

<400> 1

catctactaa atcaggtact attttacc

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> DESCRIPTION OF ARTIFICIAL SEQUENCE: Primer to introduce alphaD94
A mutation into plasmid pHE2

<400> 2

ctgcgtgttg ctccggtcaa cttcaaactg 30

<210> 3

<211> 29

<212> DNA

<213> Artificial Sequence

<220>

<223> DESCRIPTION OF ARTIFICIAL SEQUENCE: Primer to introduce betaL105
W mutation into plasmid pHE2

<400> 3

ggaaaacttc cgatggctgg gtaacgtac 29

<210> 4

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> DESCRIPTION OF ARTIFICIAL SEQUENCE: Primer to introduce betaN108
Q mutation into plasmid pHE7

<400> 4

acagaccagt acttgtccca ggagcct 27

<210> 5

<211> 1140

DIV3.ST25.txt

```

<400> 5
aaatgagctg ttgacaatta atcatcggct cgtataatgt gtggaattgt gagcggataa      60
caatttcaca caggaaacag aattcgagct cggtagcccg gctacatgga gattaactca      120
atctagaggg tattaataat gtatcgctta aataaggagg aataacatat ggtgctgtct      180
cctgccgaca agaccaacgt caaggccgcc tggggaagg tcggcgcgca cgctggcgag      240
tatggtgctg aggccctgga gaggatgttc ctgtccttcc ccaccaccaa gacctacttc      300
ccgcacttcg atctgagcca cggctctgcc caggttaagg gccacggcaa gaagggtggc      360
gacgcgctga ccaacgccgt ggcgcacgtg gacgacatgc ccaacgcgct gtccgccctg      420
agcgacctgc acgcgcacaa gcttcgggtg gacccgggtca acttcaagct cctaagccac      480
tgcctgctgg tgaccctggc cgcccacctc cccgccgagt tcaccctgc ggtgcacgcc      540
tccttgga agttcctggc ttctgtgagc accgtgctga cctccaaata ccgttaaact      600
agaggggtatt aataatgtat cgcttaaata aggaggaata acatatggtg cacctgactc      660
ctgaggagaa gtctgccgtt actgccctgt ggggcaagggt gaacgtggat gaagttggtg      720
gtgaggccct gggcaggctg ctggtggtct acccttgga cccagagggtc tttgagtcct      780
ttggggatct gtccactcct gatgctgtta tgggcaaccc taaggatgaag gctcatggca      840
agaaagtgct cgggtgccttt agtgatggcc tggctcacct ggacaacctc aagggcacct      900
ttgccacact gagtgagctg cactgtgaca agctgcacgt ggatcctgag aacttcaggc      960
tcctgggaca agtactggtc tgtgtgctgg cccatcactt tggcaaagaa ttcacccac      1020
cagtgcaggc tgcctatcag aaagtgggtg ctggtgtggc taatgccctg gccacacaagt      1080
atcactaagc atgcatctgt tttggcggat gagagaagat tttcagcctg atacagatta      1140

```

<210> 6

<211> 36

<212> DNA

<213> Artificial Sequence

<220>

<223> DESCRIPTION OF ARTIFICIAL SEQUENCE: Primer to introduce betaL105
W mutation into plasmid pHE7

<400> 6

<211> 1140

<212> DNA

<213> Homo sapiens

<400> 7

aaatgagctg ttgacaatta atcatcggct cgtataatgt gtggaattgt gagcggataa	60
caatttcaca caggaaacag aattcgagct cggtaaccgg gctacatgga gattaactca	120
atctagaggg tattaataat gtatcgctta aataaggagg aataacatat ggtgctgtct	180
cctgccgaca agaccaacgt caaggccgcc tggggttaagg tcggcgcgca cgctggcgag	240
tatggtgcgg aggccctgga gaggatgttc ctgtccttcc ccaccaccaa gacctacttc	300
ccgcacttcg atctgagcca cggctctgcc caggttaagg gccacggcaa gaagggtggcc	360
gacgcgctga ccaacgccgt ggcgcacgtg gacgacatgc ccaacgcgct gtccgccctg	420
agcgacctgc acgcgcacaa gcttcgggtg gacccgggtca acttcaagct cctaagccac	480
tgcctgctgg tgaccctggc cgcccacctc cccgccgagt tcacccctgc ggtgcacgcc	540
tccctggaca agttcctggc ttctgtgagc accgtgctga cctccaaata ccgttaaact	600
agaggggtatt aataatgtat cgcttaaata aggaggaata acatatggtg cacctgactc	660
ctgaggagaa gtctgccgtt actgccctgt ggggcaagggt gaacgtggat gaagttggtg	720
gtgaggccct gggcaggctg ctggtggtct acccttggac ccagagggttc tttgagtcct	780
ttggggatct gtccactcct gatgctgtta tgggcaaccc taagggtgaag gctcatggca	840
agaaagtgct cggatgccttt agtcatggcc tggctcacct ggacaacctc aagggcacct	900
ttgccacact gagtgagctg cactgtgaca agctgcacgt ggatcctgag aacttcaggt	960
ggctaggcaa cgtgctggtc tgtgtgctgg cccatcactt tggcaaagaa ttcacccac	1020
cagtgcaggc tgcctatcag aaagtgggtg ctggtgtggc taatgccctg gccacaagt	1080
atcactaagc atgcatctgt tttggcggat gagagaagat tttcagcctg atacagatta	1140

SEQUENCE LISTING

<110> Ho, Chien

Tsai, Ching-Hsuan

Fang, Tsuei-Yun

Shen, Tong-Jian

<120> Low Oxygen Affinity Mutant Hemoglobins

<130> 2000-02

<140> US 09/598,218

<141> 2000-06-21

<160> 7

<170> PatentIn Ver. 2.1

<210> 1

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Primer to
introduce betaN108Q mutation into plasmid pHE2

<400> 1

cgtctgctgg gtcaggtact agtttgcg

28

<210> 2

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Primer to
introduce mutation alphaD94A into plasmid pHE2

<400> 2

ctgcgtgttg ctccgggtcaa cttcaaactg

30

<220>

<223> Description of Artificial Sequence: Primer to
introduce betaL105W mutation into plasmid pHE2

<400> 3

ggaaaacttc cgatggctgg gtaacgtac

29

<210> 4

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Primer to
introduce betaN108Q mutation into plasmid pHE7

<400> 4

acagaccagt acttgtccca ggagcct

27

<210> 5

<211> 1140

<212> DNA

<213> Human

<400> 5

aaatgagctg ttgacaatta atcatcggct cgtataatgt gtggaattgt gagcggataa 60
caatttcaca caggaaacag aattcgagct cggtaaccgg gctacatgga gattaactca 120
atctagaggg tattaataat gtatcgctta aataaggagg aataacatat ggtgctgtct 180
cctgccgaca agaccaacgt caaggccgcc tggggtaagg tcggcgcgca cgctggcgag 240
tatggtgcgg aggccctgga gaggatgttc ctgtccttcc ccaccaccaa gacctacttc 300
ccgcacttcg atctgagcca cggtctgtcc caggttaagg gccacggcaa gaaggtggcc 360
gacgcgctga ccaacgcctg ggcgcacgtg gacgacatgc ccaacgcctg gtcgcgcctg 420
agcgacctgc acgcgcacaa gcttcgggtg gacccggtca acttcaagct cctaagccac 480
tgccctgctg tgaacctggc cgcgcccttc ccgcgcgagt tcacctctgc ggtgcacgcc 540
tccctggaca agttcctggc ttctgtgagc accgtgctga cctccaaata ccgttaaact 600
agaggggtatt aataatgtat cgcttaaata aggaggaata acatatggtg cacctgactc 660
ctgaggagaa gtctgccgtt actgcctgtt ggggcaaggt gaacgtggat gaagttggtg 720
gtgagggcct gggcaggctg ctggtggtct acccttggac ccagagggttc tttgagtcct 780
ttggggatct gtccactcct gatgctgtta tgggcaaccc taaggtgaag gctcatggca 840
agaaagtgtc cgggtgccttt agtgatggcc tggctcacct ggacaacctc aagggcacct 900
ttgccacact gactgagctg cactgtgaca agctgcacgt aaatcctgag aacttcaggc 960

<210> 6
<211> 36
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer to
introduce betaL105W mutation into plasmid pHE7

<400> 6
cctgagaact tcaggtggct aggcaacgtg ctggtc

36

<210> 7
<211> 1140
<212> DNA
<213> Human

<400> 7
aaatgagctg ttgacaatta atcatcggct cgtataatgt gtggaattgt gagcggataa 60
caatttcaca caggaaacag aattcgagct cggtagccgg gctacatgga gattaactca 120
atctagaggg tattaataat gtatcgctta aataaggagg aataacatat ggtgctgtct 180
cctgccgaca agaccaacgt caaggccgcc tggggtaagg tcggcgcgca cgctggcgag 240
tatggtgctg aggccctgga gaggatgttc ctgtccttcc ccaccaccaa gacctacttc 300
ccgcacttcg atctgagcca cggctctgcc cagggttaagg gccacggcaa gaaggtggcc 360
gacgcgctga ccaacgccgt ggcgcacgtg gacgacatgc ccaacgcgt gtcgcgcttg 420
agcgacctgc acgcgcacaa gcttcgggtg gaccgggtca acttcaagct cctaagccac 480
tgctgtctgg tgacctggc cgcacacctc cccgcccagt tcacctctgc ggtgcacgcc 540
tccctggaca agttcctggc ttctgtgagc accgtgctga cctccaaata ccgttaaact 600
agaggggtatt aataatgtat cgcttaaata aggaggaata acatatggtg cacctgactc 660
ctgaggagaa gtctgccgtt actgccctgt ggggcaagg gaacgtggat gaagttggtg 720
gtgagggcct gggcaggctg ctggtggtct acccttgga cagaggttc tttgagtcct 780
ttggggatct gtccactcct gatgctgtta tgggcaaccc taaggtgaag gctcatggca 840
agaaagtgtc cgggtgccttt agtgatggc tggctcacct ggacaacctc aagggcacct 900
ttgccacact gagtgagctg cactgtgaca agctgcacgt ggatcctgag aacttcaggt 960
ggctaggcaa cgtgctggtc tgtgtgctgg cccatcactt tggcaaagaa ttcacccac 1020
cagtgcaggc tgctatcag aaagtgggtg ctggtgtggc taatgcctg gccacaaagt 1080
atcactaagc atgcactctgt tttggcggat gagagaagat tttcagcctg atacagatta 1140